GEORGIA

MIDDLE SCHOOL YOUTH RISK BEHAVIOR SURVEY
2003

Table 2b. Percentage of Middle School Students Who Had Rarely or Never Worn Seatbelts* and Who Had Ever Ridden in a Car with a Driver Who Had Been Drinking Alcohol, by Sex, Race/ Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	M	1ale	Female		Total	
	%	CI [†] (±)	%	CI (±)	%	CI (±)
Rarely or never wore seat belts						
Race/Ethnicity						
White [§]	9.5	2.6	4.6	1.7	7.2	1.7
Black [§]	14.7	4.2	9.3	3.4	11.9	2.7
Hispanic	_1	_	_	_	10.8	7.6
Other	12.7	8.3	_	_	10.3	6.0
Grade						
6	7.5	2.1	6.6	3.5	7.1	1.6
7	11.0	3.8	4.7	2.2	7.9	2.5
8	16.3	5.2	8.8	3.4	12.6	3.7
Total	11.9	2.5	6.6	1.7	9.3	1.7
Rode with a driver who had been d	rinking alc	ohol				
Race/Ethnicity						
White	32.5	3.7	33.0	4.0	32.8	3.3
Black	39.0	6.0	36.9	5.3	37.9	4.4
Hispanic	_	_	_	_	23.0	11.0
Other	32.3	7.3	_	_	32.5	6.0
Grade						
6	26.9	6.9	26.5	3.8	26.7	4.0
7	33.7	5.5	33.9	4.8	33.8	4.0
8	41.6	5.6	41.9	5.3	41.7	4.2
Total	34.0	3.8	34.0	3.3	34.0	2.9

^{*}When riding in a car.

^{†95%} confidence interval.

[§]Non-Hispanic.

¹Not available.

Table 3b. Percentage of Middle School Students Who Had Rarely or Never Worn Bicycle Helmets* or Rollerblade or Skateboard Helmets,† by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	M	Male		Female		Total	
Question	%	CI§ (±)	%	CI (±)	%	CI (±)	
Rarely or never wore bicyo	le helmets						
Race/Ethnicity							
White ¹	69.0	6.0	62.9	5. I	66.3	5.0	
Black [¶]	89.8	3.4	83.7	4.6	86.9	3.2	
Hispanic	**	_	_	_	_	_	
Other	_	_	_	_	80.1	6.9	
Grade							
6	73.6	7.6	69.7	6.7	71.7	5.8	
7	74.7	8.1	68.9	8.6	72.0	7.5	
8	84.0	7.6	75.5	8.4	80.4	7.4	
Total	77.4	4.6	71.1	4.2	74.5	4.1	
Rarely or never wore a hel	met when using rol	lerblades or ridiı	ng a skateboa	rd			
Race/Ethnicity							
White	64.8	5.5	67.7	4.9	66.2	4.6	
Black	85.0	6.8	81.0	5.8	82.8	4.0	
Hispanic	_	_	_	_	_	_	
Other	_	_	_	_	73.0	9.2	
Grade							
6	66.8	7.0	67.8	6.2	67.2	5.3	
7	67.6	7.9	74.7	6.9	71.2	6.5	
8	80.1	9.4	75.3	8.5	77.8	8.0	
Total	70.8	4.7	72.4	3.8	71.7	3.6	

^{*}Among the 82.7% of students who had ridden a bicycle.

[†]Among the 59.5% of students who had used rollerblades or ridden a skateboard.

^{§95%} confidence interval.

¹Non-Hispanic.

^{**}Not available.

Table 4b. Percentage of Middle School Students Who Had Ever Carried a Weapon,* Who Had Ever Been in a Physical Fight, and Who Had Ever Been Hurt in a Physical Fight,† by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	M	1 ale	Female		Total	
Question	%	CI [§] (±)	%	CI (±)	%	CI (±)
Carried a weapon						
Race/Ethnicity						
White ¹	65.5	4.9	18.2	3.0	42.9	3.9
Black ¹	39.3	5.9	13.7	3.6	26.2	4.4
Hispanic	**	_	_	_	26.7	12.7
Other	46.2	10.5	_	_	36.8	8.9
Grade						
6	48.2	9.0	12.8	3.2	31.0	5.7
7	50.5	6.4	15.1	3.3	33.2	4.8
8	58.8	6.0	22.1	4.1	40.8	4.4
Total	52.7	5.0	16.6	2.4	35.1	3.3
Were in a physical fight						
Race/Ethnicity						
White	72.1	5.2	35.5	6.1	54.6	4.9
Black	80.7	4.5	60.1	5.9	70.2	4.0
Hispanic	_	_	_	_	55.0	10.5
Other	79.0	8.8	_	_	61.5	9.0
Grade						
6	72.3	6.6	38.8	5.7	56.1	5.7
7	74.7	5.5	48.2	6.6	61.8	5.1
8	77.6	4.7	51.9	7.5	65.I	5.1
Total	75.0	3.7	46.2	5.0	61.0	3.7
Were hurt in a physical fight						
Race/Ethnicity						
White	9.5	2.5	4.5	1.7	7.1	1.4
Black	10.2	3.2	3.7	1.6	6.9	1.9
Hispanic	_	_	_	_	9.4	5.8
Other	_	_	_	_	7.8	4.5
Grade						
6	9.7	3.3	4.0	1.8	6.9	1.8
7	10.4	3.6	4.1	1.3	7.3	2.0
8	9.2	3.2	5.2	1.8	7.2	2.2
Total	9.8	1.8	4.5	1.0	7.2	1.0

^{*}For example, a gun, knife, or club.

[†]Had to be treated by a doctor or nurse.

^{§95%} confidence interval.

¹Non-Hispanic.

^{**}Not available.

Table 5b. Percentage of Middle School Students Who Had Ever Seriously Thought About Killing Themselves, Who Had Ever Made a Plan About How To Kill Themselves, and Who Had Ever Tried To Kill Themselves, by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	M	lale	Female		Total	
Question	%	CI* (±)	%	CI (±)	%	CI (±)
Seriously thought about k	illing themselves					
Race/Ethnicity						
White [†]	17.7	2.9	22.0	4.0	19.7	2.6
$Black^\dagger$	13.6	3.7	24.9	5. I	19.3	3.4
Hispanic	§	_	_	_	14.3	7.3
Other	22.0	9.9	_	_	26.1	7.4
Grade						
6	14.3	4.2	20.4	4.8	17.2	2.9
7	15.7	3.7	21.2	4.7	18.4	2.5
8	17.0	4.2	28.8	5.5	22.7	3.7
Total	15.8	2.4	23.5	3.2	19.5	2.1
Made a plan about how to	kill themselves					
Race/Ethnicity						
White	11.1	2.6	14.5	3.3	12.8	2.3
Black	12.2	2.9	16.2	4.8	14.2	2.9
Hispanic	_	_	_	_	11.5	6.4
Other	_	_	_	_	17.2	8.5
Grade						
6	12.8	3.9	10.8	2.9	11.8	2.2
7	9.1	3.1	14.6	4.4	11.8	2.8
8	12.6	4.2	21.1	5.7	16.8	3.8
Total	11.5	2.3	15.5	3.0	13.4	2.1
Tried to kill themselves						
Race/Ethnicity						
White	5.2	2.6	9.2	2.5	7.1	1.9
Black	8.6	2.8	10.0	3.6	9.3	2.5
Hispanic	_	_	_	_	11.4	7.1
Other	5.2	5.3	_	_	8.7	5.2
Grade						
6	7.2	3.6	7.1	2.2	7.2	2.0
7	6.2	3.3	8.8	2.8	7.5	2.4
8	6.0	2.9	14.8	4.9	10.3	3.3
Total	6.5	2.4	10.2	2.2	8.3	1.8

^{*95%} confidence interval.

[†]Non-Hispanic.

[§]Not available.

Table 6b. Percentage of Middle School Students Who Had Ever Smoked Cigarettes, by Sex, Race/ Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	M	lale	Female		Total	
Question	%	CI* (±)	%	CI (±)	%	CI (±)
Lifetime cigarette use [†]						
Race/Ethnicity						
White§	39.6	6.1	32.0	5.4	36.0	4.9
Black [§]	42.0	7.7	38.1	6.8	40.0	6.2
Hispanic	1	_	_	_	29.5	15.1
Other	_	_	_	_	29.7	6.0
Grade						
6	30.2	7.1	22.2	3.7	26.4	4.6
7	38.1	8.2	36.3	7.0	37.2	6.5
8	50.1	9.3	43.1	8.3	46.6	7.7
Total	39.5	5.8	33.8	4.4	36.7	4.6
ifetime daily cigarette use**						
Race/Ethnicity						
White	6.4	2.5	6.2	2.0	6.3	1.8
Black	4.2	2.1	2.1	1.3	3.1	1.2
Hispanic	_	_	_	_	6.3	4.4
Other	6.2	5.9	_	_	6.0	4.3
Grade						
6	4.9	2.5	1.4	1.4	3.2	1.7
7	4.3	2.7	3.1	1.5	3.7	1.6
8	8.2	3.1	8.6	3.2	8.4	2.4
Total	5.8	1.7	4.3	1.2	5.1	1.2

^{*95%} confidence interval.

[†]Ever tried cigarette smoking, even one or two puffs.

[§]Non-Hispanic.

¹Not available.

^{**}Ever smoked at least one cigarette every day for 30 days.

Table 7b. Percentage of Middle School Students Who Smoked Cigarettes, by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	M	lale	Female		Total	
Question	%	CI* (±)	%	CI (±)	%	CI (±)
Current cigarette use [†]				-		
Race/Ethnicity						
White [§]	12.9	4.2	10.0	3.0	11.5	3.0
Black [§]	7.6	3.2	6.1	3.3	6.8	2.9
Hispanic	_1	_	_	_	10.7	7.5
Other	_	_	_	_	6.9	4.8
Grade						
6	5.7	2.2	3.2	2.2	4.5	1.5
7	10.8	3.6	8.2	3.2	9.5	2.5
8	14.5	5.9	14.2	3.3	14.3	3.9
Total	10.5	2.5	8.4	2.3	9.4	2.0
Current frequent cigarette use**						
Race/Ethnicity						
White	2.8	1.7	2.4	1.2	2.6	1.2
Black	1.5	1.3	1.2	1.2	1.3	0.9
Hispanic	_	_	_	_	1.2	1.9
Other	_	_	_	_	4.2	3.7
Grade						
6	1.2	1.2	0.6	0.9	0.9	0.6
7	1.6	1.3	0.3	0.5	1.0	0.7
8	4.0	2.8	4.7	1.8	4.3	1.7
Total	2.3	1.3	1.8	0.8	2.1	0.8

^{*95%} confidence interval.

 $^{^{\}dagger}\text{Smoked}$ cigarettes on ≥ 1 of the 30 days preceding the survey.

[§]Non-Hispanic.

¹Not available.

^{**}Smoked cigarettes on \geq 20 of the 30 days preceding the survey.

Table 8b. Percentage of Middle School Students Who Used Smokeless Tobacco,* Smoked Cigars,† and Used Any Tobacco Product,§ by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	M	1 ale	Female		Total	
Question	%	CI ¹ (±)	%	CI (±)	%	CI (±)
Current smokeless tobacco use						
Race/Ethnicity						
White**	9.3	2.7	1.5	1.0	5.6	1.4
Black**	4.8	2.9	1.2	1.4	2.9	1.6
Hispanic	^{††}	_	_	_	5.7	5.2
Other	7.8	4.9	_	_	6.2	3.9
Grade						
6	7.9	3.5	1.2	1.1	4.6	2.0
7	6.3	2.9	1.4	0.9	3.9	1.5
8	7.6	4.2	2.2	1.6	5.0	2.3
Total	7.5	2.0	1.7	0.7	4.7	1.1
Current cigar use						
Race/Ethnicity						
White	6.3	2.4	5.3	1.4	5.8	1.5
Black	8.9	3.5	4.0	2.9	6.4	2.7
Hispanic	_	_	_	_	8.5	5.8
Other	10.5	8.0	_	_	8.0	5.4
Grade						
6	5.5	2.2	4.0	2.6	4.8	1.4
7	6.4	2.9	3.6	2.3	5.0	2.1
8	10.2	4.0	7.1	2.4	8.7	2.2
Total	7.5	2.2	4.9	1.5	6.3	1.6
Current tobacco use						
Race/Ethnicity						
White	18.2	4.5	11.7	3.1	15.1	3.0
Black	10.1	3.5	6.9	3.5	8.4	3.0
Hispanic	_	_	_	_	11.1	8.2
Other	_	_	_	_	10.8	5.8
Grade						
6	10.6	4.1	5.0	3.6	7.9	2.6
7	14.7	4.3	9.3	3.3	12.0	2.9
8	17.9	6.2	15.0	2.9	16.4	3.8
Total	14.5	2.9	9.6	2.5	12.1	2.1

^{*}Used chewing tobacco, snuff, or dip on ≥ 1 of the 30 days preceding the survey.

 $^{^{\}dagger}$ Smoked cigars, cigarillos, or little cigars on ≥ 1 of the 30 days preceding the survey.

[§]Reported current cigarette use, current cigar use, or had used chewing tobacco, snuff, or dip on ≥ 1 of the 30 days preceding the survey.

^{195%} confidence interval.

^{**}Non-Hispanic.

^{††}Not available.

Table 9b. Percentage of Middle School Students Who Had Ever Had a Drink of Alcohol,* Who Had Ever Used Marijuana, and Who Had Ever Used Cocaine,† by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	Male		Female		Total	
Question	%	CI§ (±)	%	CI (±)	%	CI (±)
Lifetime alcohol use						
Race/Ethnicity						
White [¶]	35.1	5.7	29.0	6.0	32.2	5.0
Black [¶]	38.8	6.6	36.0	6. l	37.3	5.3
Hispanic	**	_	_	_	_	_
Other	_	_	_	_	32.9	9.7
Grade						
6	28.1	5.1	19.3	4.6	23.9	3.7
7	36.6	7.4	28.7	5.3	32.8	5.5
8	45.4	7.1	46.1	6.4	45.7	5.0
Total	36.8	4.8	31.3	4.6	34. I	4.0
Lifetime marijuana use						
Race/Ethnicity						
White	12.2	3.3	8.2	3.4	10.3	3.0
Black	17.4	4.9	7.6	2.5	12.3	3.4
Hispanic	_	_	_	_	12.4	6.2
Other	_	_	_	_	6.5	3.1
Grade						
6	8.1	2.6	2.5	1.8	5.4	1.6
7	13.8	4.8	3.9	1.6	9.0	2.8
8	20.8	5.5	17.2	5.1	19.0	4.5
Total	14.2	3.3	7.7	2.3	11.0	2.6
Lifetime cocaine use						
Race/Ethnicity						
White	4.8	1.7	2.4	1.7	3.6	1.3
Black	4.4	2.5	1.3	1.0	2.8	1.4
Hispanic	_	_	_	_	10.7	7.5
Other	4.5	3.7	_	_	4.4	2.7
Grade						
6	3.7	1.9	1.7	1.5	2.7	1.2
7	5.3	2.8	1.3	1.3	3.4	1.5
8	6.4	2.2	3.9	2.0	5.1	1.4
Total	5.2	1.3	2.3	1.1	3.8	1.0

^{*}Ever had a drink of alcohol, other than a few sips.

 $^{^{\}dagger}\textsc{Ever}$ used any form of cocaine (e.g., powder, "crack," or "freebase").

^{§95%} confidence interval.

¹Non-Hispanic.

^{**}Not available.

Table 10b. Percentage of Middle School Students Who Had Ever Used Inhalants* and Who Had Ever Used Steroids, by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	M	Male		Female		Total	
Question	%	CI [†] (±)	%	CI (±)	%	CI (±)	
Lifetime inhalant use							
Race/Ethnicity							
White [§]	14.7	3.2	12.3	4.6	13.6	3.4	
Black§	14.6	3.8	9.1	3.2	11.7	2.2	
Hispanic	1	_	_	_	15.8	7.8	
Other	17.2	9.1	_	_	16.1	6.4	
Grade							
6	17.2	4.0	6.6	2.6	12.0	2.6	
7	11.4	3.7	12.2	3.9	11.8	3.0	
8	14.2	4.3	16.0	4.9	15.0	4.0	
Total	14.4	2.1	11.5	3.3	13.0	2.3	
Lifetime steroid use							
Race/Ethnicity							
White	5.2	1.7	3.1	1.4	4.2	1.0	
Black	3.6	1.9	2.8	1.2	3.2	1.1	
Hispanic	_	_	_	_	3.4	4.7	
Other	6.0	5.7	_	_	3.7	3.6	
Grade							
6	5.8	2.4	3.3	1.8	4.6	1.5	
7	3.1	2.0	3.0	1.9	3.1	1.4	
8	4.7	2.6	1.8	1.3	3.2	1.3	
Total	4.6	1.3	2.8	0.9	3.7	0.8	

^{*}Sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high.

^{†95%} confidence interval.

[§]Non-Hispanic.

¹Not available.

Table IIb. Percentage of Middle School Students Who Had Initiated Drug-Related Behaviors Before Age II Years, by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	M	lale	Female		Total	
Question	%	CI* (±)	%	CI (±)	%	CI (±)
Smoked a whole cigarette	before age 11 years					
Race/Ethnicity						
White [†]	9.7	2.7	6.8	2.5	8.3	2.4
Black [†]	8.7	4.0	5.6	2.3	7.1	2.8
Hispanic	§	_	_	_	1.6	2.7
Other	_	_	_	_	5.1	4.1
Grade						
6	7.4	2.4	3.2	1.7	5.4	1.3
7	9.7	3.3	7.7	3.5	8.7	2.9
8	9.3	4.4	6.6	3.0	7.9	3.2
Total	8.7	2.2	5.8	1.8	7.3	1.8
Had first drink of alcohol b	pefore age 11 years ¹					
Race/Ethnicity						
White	15.9	2.7	8.6	2.8	12.4	2.3
Black	19.1	4.7	18.0	3.8	18.5	3.3
Hispanic	_	_	_	_	_	_
Other	_	_	_	_	14.3	5. l
Grade						
6	16.8	3.8	10.7	3.1	13.8	2.4
7	17.1	5.1	11.3	4.2	14.3	3.8
8	16.2	4.2	14.9	4.3	15.5	3.2
Total	16.9	2.9	12.3	3.0	14.7	2.3
Tried marijuana before age	e II years					
Race/Ethnicity						
White	2.7	1.8	0.9	0.8	1.8	1.1
Black	2.5	2.2	1.8	1.3	2.2	1.1
Hispanic	_	_	_	_	0.3	0.7
Other	3.2	3.5	_	_	2.3	2.3
Grade						
6	2.2	1.6	1.7	1.0	2.0	0.9
7	1.9	2.0	0.8	0.9	1.3	1.1
8	3.5	2.5	1.3	1.2	2.4	1.5
Total	2.5	1.3	1.3	0.5	1.9	0.7

^{*95%} confidence interval.

[†]Non-Hispanic.

[§]Not available.

¹Other than a few sips.

Table 12b. Percentage of Middle School Students Who Had Engaged in Sexual Behaviors, by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	Male		Fe	male	Total	
Question	%	CI* (±)	%	CI (±)	%	CI (±)
Ever had sexual intercourse						
Race/Ethnicity						
White [†]						
Black [†]						
Hispanic						
Other			Question	Not Asked		
Grade			Question	NOL ASKEU		
6						
7						
8						
Total						
Had first sexual intercourse before	age II yea	ars				
Race/Ethnicity						
White						
Black						
Hispanic						
Other			Question	Not Asked		
Grade			Question	NOL ASKEU		
6						
7						
8						
Total						
Had \geq 3 sex partners						
Race/Ethnicity						
White						
Black						
Hispanic						
Other			Question	Not Asked		
Grade			Question	1 TOU ASKED		
6						
7						
8						
Total						

^{*95%} confidence interval.

 $^{^{\}dagger}Non\text{-}Hispanic.$

Table 13b. Percentage of Middle School Students Who Had Used a Condom During Last Sexual Intercourse and Who Had Ever Been Taught About Acquired Immunodeficiency Syndrome (AIDS) or Human Immunodeficiency Virus (HIV) Infection in School, by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

_	M	lale	Fer	male	To	otal
Question	%	CI* (±)	%	CI (±)	%	CI (±)
Used condom during last sexual in	tercourse		·			
Race/Ethnicity						
White [†]						
Black [†]						
Hispanic						
Other			Overtion	Not Aslead		
Grade			Question	Not Asked		
6						
7						
8						
Total						
Had been taught in school about	AIDS or HIV	' infection				
Race/Ethnicit						
White	78.4	6.2	76.2	6.2	77.3	5.5
Black	72.8	6.8	79.2	5.9	76. I	5.3
Hispanic	§	_	_	_	60.2	12.5
Other	_	_	_	_	77. I	8.2
Grade						
6	63.5	8.9	61.1	9.7	62.4	7.9
7	76.6	8.9	79.6	8.2	78. I	7.3
8	86.7	4.7	88.9	3.9	87.8	3.7
Total	75.1	5.0	76.3	5.3	75.7	4.6

^{*95%} confidence interval.

[†]Non-Hispanic.

 $[\]S$ Not available.

Table 14b. Percentage of Middle School Students Who Had Participated in Sufficient Vigorous Physical Activity,* Who Had Played on Any Sports Teams,† and Who Had Watched ≥ 3 Hours per Day of TV,§ by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	Male		Female		Total	
Question	%	CI ¹ (±)	%	CI (±)	%	CI (±)
Participated in sufficient vigorou	s physical act	ivity				
Race/Ethnicity						
White**	74.2	3.4	68.7	3.0	71.6	2.2
Black**	66.8	5.9	56.1	5.7	61.2	4.6
Hispanic	<u></u> tt	_	_	_	73.2	10.3
Other	70.5	10.2	_	_	69.3	7.8
Grade						
6	67.6	6.7	63.9	5.5	65.8	4.3
7	72.9	6.3	63.1	6.6	68.I	5.5
8	73.4	4.6	64.5	4.7	68.9	3.2
Total	71.0	3.1	63.9	3.3	67.5	2.4
Played on any sports teams						
Race/Ethnicity						
White	59.8	4.3	55.0	5.2	57.5	4.1
Black	62.2	5.7	41.6	5.5	51.7	4.1
Hispanic	_	_	_	_	44.0	9.5
Other	_	_	_	_	50.2	6.9
Grade						
6	58.5	7.9	47.4	7.5	53.2	6.9
7	58.4	5.2	50.6	6.6	54.6	5.4
8	63.8	5.6	45.3	5.5	54.9	3.8
Total	60. I	2.9	47.9	4.1	54.2	3.1
$Vatched \geq 3 hours per day of T$	v					
Race/Ethnicity						
White	42.5	5.5	35.0	4.3	38.9	3.6
Black	67. l	5.4	72.6	5.3	69.9	3.7
Hispanic	_	_	_	_	50.1	10.0
Other	39.1	10.6	_	_	43.1	8.4
Grade						
6	52.6	8.3	52.6	8.6	52.6	6.8
7	53.7	8.2	49.2	7.5	51.5	7.0
8	49.7	6.9	53.7	7.9	51.7	6.4
Total	51.8	5.3	51.7	5.7	51.7	4.8

^{*}Exercised or participated in physical activities that made them sweat and breathe hard for ≥ 20 minutes on ≥ 3 of the 7 days preceding the survey (e.g., basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities).

[†]Run by their school or community groups.

[§]On an average school day.

^{195%} confidence interval.

^{**}Non-Hispanic.

^{††}Not available.

Table 15b. Percentage of Middle School Students Who Were Enrolled in Physical Education (PE) Class* and Attended PE Class Daily,† by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

Question	Male		Female		Total	
	%	CI [§] (±)	%	CI (±)	%	CI (±)
Were enrolled in PE class						
Race/Ethnicity						
White ¹	65.3	9.1	60.1	10.4	62.8	8.7
Black ¹	65.0	8.9	68.0	8.3	66.4	7.9
Hispanic	**	_	_	_	68.9	11.3
Other	65.7	9.0	_	_	65.1	8.0
Grade						
6	59.0	11.0	57.9	10.1	58.5	9.4
7	68.3	9.9	70.1	10.1	69.2	9.2
8	71.0	7.2	63.3	8.6	67.1	7.0
Total	65.9	6.8	64.0	7.0	64.9	6.3
Attended PE class daily						
Race/Ethnicity						
White	29.2	11.2	26.8	9.9	28.1	10.1
Black	28.5	13.8	35.1	15.1	31.8	14.0
Hispanic	_	_	_	_	25.3	11.8
Other	23.6	9.6	_	_	23.4	7.8
Grade						
6	21.7	8.9	29.2	13.1	25.4	10.5
7	30.4	13.3	29.2	11.3	29.8	12.1
8	34.7	13.1	30.6	13.6	32.7	12.8
Total	28.6	9.7	29.7	10.2	29.1	9.7

^{*}On one or more days in an average week when they were in school.

 $^{^{\}dagger}5$ days in an average week when they were in school.

^{§95%} confidence interval.

¹Non-Hispanic.

^{**}Not available.

Table 16b. Percentage of Middle School Students Who Were at Risk for Becoming* or Were Overweight,† by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	Male		Female		Total	
Question	%	CI [§] (±)	%	CI (±)	%	CI (±)
At risk for becoming overweight						
Race/Ethnicity						
White ¹	20.0	4.2	12.4	3.1	16.5	2.4
Black ¹	20.0	4.7	23.6	4.6	21.8	3.4
Hispanic	**	_	_	_	_	_
Other	_	_	_		17.4	5.4
Grade						
6	22.2	6.3	19.0	7.4	20.7	5.4
7	18.3	4.3	16.8	4.9	17.6	3.5
8	21.2	3.6	17.4	3.9	19.3	2.6
Total	20.4	2.9	17.6	3.2	19.0	1.9
Overweight						
Race/Ethnicity						
White	15.0	3.2	7.4	2.0	11.5	2.1
Black	18.9	3.7	17.1	4.7	18.0	2.9
Hispanic	_	_	_	_	_	_
Other	_	_	_	_	4.8	4.0
Grade						
6	21.9	5.1	15.4	6.0	18.9	4.2
7	14.7	5.0	9.3	3.2	12.1	3.5
8	13.4	3.2	12.1	3.0	12.8	2.3
Total	16.0	2.4	12.0	2.2	14.1	1.9

^{*}Students who were \geq 85th percentile but < 95th percentile for body mass index, by age and sex, based on reference data.

 $^{^{\}dagger}$ Students who were \geq 95th percentile for body mass index, by age and sex, based on reference data.

^{§95%} confidence interval.

¹Non-Hispanic.

^{**}Not available.

Table 17b. Percentage of Middle School Students Who Described Themselves as Slightly or Very Overweight and Who Were Trying To Lose Weight, by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

	Male		Female		Total	
Question	%	CI* (±)	%	CI (±)	%	CI (±)
Described themselves as overweight						
Race/Ethnicity						
White [†]	26.4	3.6	29.0	3.4	27.6	2.2
Black [†]	17.7	4.4	23.3	4.4	20.6	3.1
Hispanic	§	_	_	_	24.6	11.2
Other	_	_	_	_	26.8	5.8
Grade						
6	20.4	4.2	22.3	5.3	21.3	4.2
7	23.4	3.8	24.5	3.4	23.9	2.7
8	25.0	4.6	32.3	4.3	28.5	3.0
Total	22.9	2.5	26.4	2.5	24.6	1.8
Were trying to lose weight						
Race/Ethnicity						
White	38.1	4.8	56.3	4.0	46.8	2.5
Black	32.9	5.9	46.5	5.4	39.8	4.5
Hispanic	_	_	_	_	45.3	12.7
Other	34. I	9.9	_	_	42.2	7.7
Grade						
6	38.4	5.8	51.1	5.1	44.6	4.1
7	36.2	5.1	50.1	4.7	43.0	2.7
8	32.9	4.2	55.1	5.7	43.7	4.3
Total	36.0	3.5	52.0	3.6	43.8	2.5

^{*95%} confidence interval.

[†]Non-Hispanic.

[§]Not available.

Table 18b. Percentage of Middle School Students Who Had Ever Engaged in Healthy Behaviors Associated with Weight Control To Lose Weight or To Keep from Gaining Weight, by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

Question	N	Male		Female		Total	
	%	CI* (±)	%	CI (±)	%	CI (±)	
Ate less food, fewer calori	es, or foods low in f	at to lose weight	or to keep fro	om gaining weig	ht		
Race/Ethnicity							
White [†]	34.5	4.3	62.9	3.8	48.1	2.7	
Black [†]	29.7	5.0	46.5	5.8	38.3	3.7	
Hispanic	§	_	_	_	45.0	10.7	
Other	29.2	7.8	_	_	40.7	6.1	
Grade							
6	38.6	4.7	50.8	5.6	44.5	3.7	
7	30.4	4.2	57.1	4.8	43.4	3.1	
8	29.0	6.7	58.7	6.3	43.6	6.3	
Total	32.7	3.3	55.3	3.9	43.7	2.9	
Exercised to lose weight o	r to keep from gain	ing weight					
Race/Ethnicity							
White	61.2	4.0	78.3	4.0	69.4	3.0	
Black	59.9	4.8	70.2	4.4	65.2	3.0	
Hispanic	_	_	_	_	74.3	10.2	
Other	59.7	9.0	_	_	65.8	6.2	
Grade							
6	64.5	5.4	72.6	4.2	68.4	3.3	
7	57.8	6.2	74.4	4.0	65.9	3.8	
8	62.2	5.7	77.5	4.7	69.8	4.4	
Total	61.5	3.1	74.8	3.0	68.0	1.9	

^{*95%} confidence interval.

[†]Non-Hispanic.

[§]Not available.

Table 19b. Percentage of Middle School Students Who Had Ever Engaged in Unhealthy Behaviors Associated with Weight Control To Lose Weight or To Keep from Gaining Weight, by Sex, Race/Ethnicity, and Grade—Georgia, Middle School Youth Risk Behavior Survey, 2003

		Male		Female		Total	
Question	%	CI* (±)	%	CI (±)	%	CI (±)	
Went without eating for	≥ 24 hours to lose w	eight or to keep	from gaining	weight			
Race/Ethnicity							
$White^\dagger$	12.5	2.7	25.6	4 . I	18.7	2.4	
Black [†]	11.4	3.8	20.0	4 . I	15.8	3.1	
Hispanic	§	_	_	_	13.2	7.1	
Other	10.4	6.9	_	_	14.9	7.4	
Grade							
6	14.1	4.4	16.7	4.5	15.4	3.4	
7	10.9	3.2	23.5	4.5	17.1	3.4	
8	10.2	3.8	28.4	4.6	19.1	3.5	
Total	11.8	2.1	22.7	2.5	17.1	2.0	
Took diet pills, powders,	or liquids to lose wei	ght or to keep fr	om gaining w	eight ¹			
Race/Ethnicity							
White	6.4	2.5	9.3	2.6	7.8	1.9	
Black	3.9	2.7	6.1	2.6	5.0	1.7	
Hispanic	_	_	_	_	10.9	8.4	
Other	4.1	3.9	_	_	4.9	3.2	
Grade							
6	4.4	2.2	4.3	2.1	4.4	1.4	
7	3.8	2.0	7.3	2.6	5.5	1.3	
8	8.0	4.0	13.1	4.0	10.5	3.3	
Total	5.3	1.8	8.2	2.1	6.7	1.5	
omited or took laxative	es to lose weight or to	keep from gain	ing weight				
Race/Ethnicity							
White	4.4	1.9	9.5	3.0	6.8	1.5	
Black	5.1	2.4	7.0	2.9	6.1	2.0	
Hispanic	_	_	_	_	8.7	5.1	
Other	4.1	5.1	_	_	6.9	4.3	
Grade							
6	5.3	2.7	7.2	2.7	6.2	1.9	
7	3.1	1.7	7.5	2.9	5.2	1.6	
8	4.7	2.8	12.2	4.0	8.4	2.1	
Total	4.7	1.2	8.9	2.3	6.7	1.2	

^{*95%} confidence interval.

[†]Non-Hispanic.

[§]Not available.

Without a doctor's advice.